City of Las Vegas

AGENDA MEMO

CITY COUNCIL MEETING DATE: JULY 19, 2006

DEPARTMENT: PUBLIC WORKS

ITEM DESCRIPTION: APPROVAL OF AN ENCROACHMENT REQUEST FROM

LONGFORD PROPERTIES MANAGEMENT ON BEHALF OF BUFFALO

WASHINGTON III, LLC, OWNER (SOUTHEAST CORNER OF BUFFALO DRIVE AND

WASHINGTON AVENUE) - WARD 2 (WOLFSON)

- 1. Encroachment Exhibit "A" (legal description of monument sign)
- 2. Encroachment Exhibit "B" (southeast corner of Buffalo Drive and Washington Avenue monument sign)
- 3. Encroachment Exhibit "C" (basis of bearings for monument sign)
- 4. Encroachment Exhibit "D" (vicinity map)
- 5. Encroachment Exhibit "E" (cross-sections of the monument sign, retaining wall and trail)
- 6. Encroachment Exhibit "F" (legal description of proposed landscaped area)
- 7. Encroachment Exhibit "G" (continuation of legal description of proposed landscaped area)
- 8. Encroachment Exhibit "H" (southeast corner of Buffalo Drive and Washington Avenuelandscaping)
- 9. Encroachment Exhibit "I" (basis of bearings for landscaping)
- 10. Encroachment Exhibit "J" (cross-section of trail, landscaping and retaining wall)
- 11. Encroachment Exhibit "K" (cross-section of landscaping and monument sign)



7425 Peak Drive
Las Vegas, Nevada 89128
(702) 933-7000
Fax (702) 933-7001

EXHIBIT A

EXPLANATION:

PR BY: TJK

THIS LEGAL DESCRIPTION DESCRIBES A PARCEL OF LAND GENERALLY LOCATED SOUTH OF WASHINGTON AVENUE AND EAST OF BUFFALO DRIVE, FOR MONUMENT SIGNAGE PURPOSES.

LEGAL DESCRIPTION MONUMENT SIGN

LOCATED WITHIN THE NORTHWEST QUARTER (NW 1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27, TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER (NW 1/4), SAME BEING THE CENTERLINE INTERSECTION OF WASHINGTON AVENUE AND BUFFALO DRIVE; THENCE SOUTH 00°38'46" EAST ALONG THE WEST LINE OF SAID NORTHWEST QUARTER (NW 1/4) COINCIDENT WITH THE CENTERLINE OF SAID BUFFALO DRIVE, 99.14 FEET; THENCE NORTH 89°21'14" EAST DEPARTING SAID WEST LINE AND SAID CENTERLINE, 37.00 FEET TO THE POINT OF BEGINNING;

THENCE NORTH 00°38'46" WEST, 15.27 FEET; THENCE NORTH 89°22'49" EAST, 5.00 FEET; THENCE NORTH 00°38'46" WEST, 12.22 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 25.00 FEET; THENCE NORTHEASTERLY 12.66 FEET ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 29°01'08"; THENCE SOUTH 59°21'10" EAST, 26.05 FEET RADIALLY TO THE BEGINNING OF A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 54.00 FEET, SAME BEING THE EASTERLY RIGHT-OF-WAY OF SAID BUFFALO DRIVE; THENCE SOUTHWESTERLY 28.11 FEET ALONG SAID CURVE AND EASTERLY RIGHT-OF-WAY, THROUGH A CENTRAL ANGLE OF 29°49'20"; THENCE NORTH 89°10'30" WEST DEPARTING SAID EASTERLY RIGHT-OF-WAY, 22.56 FEET TO THE POINT OF BEGINNING.

CONTAINING 792 SQUARE FEET (0.02 ACRES) MORE OR LESS, AS DETERMINED BY COMPUTER METHODS.

BASIS OF BEARINGS

SOUTH 89°35'24" EAST, BEING THE NORTH LINE OF THE NORTHWEST QUARTER (NW 1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27, TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA PER PLAT MAP BOOK 86, PAGE 24, CLARK COUNTY OFFICIAL RECORDS.

M:_mapping\2004\cn24174\descriptions\24174v-monument-sign.doc M:_mapping\2004\cn24174\dwg\exhibits\24174v-monument-sign.dwg




EXHIBIT "C"

CURVE TABLE			
No.	RADIUS	DELTA	LENGTH
C1	25.00'	29'01'08"	12.66'
C2	54.00	29'49'20"	28.11'

	RADIAL LINE	TABLE
No.	BEARING	LENGTH
R1	N59*21'10"W	54.00'
R2	N89'10'30"W	54.00'

LINE TABLE		
No.	BEARING	LENGTH
L1	S00'38'46"E	99.14
L2	N89*21'14"E	37.00'
L3	N00°38′46″W	15.27
L4	N89*22'49"E	5.00'
L5	N00°38'46"W	12.22
L6	S59°21'10"E	26.05
L7	N8910'30"W	22.56

BASIS OF BEARINGS

SOUTH 89°35'24" EAST
BEING THE NORTH LINE OF THE NORTHWEST QUARTER (NW
1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27,
TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK
COUNTY, NEVADA PER PLAT MAP BOOK 86, PAGE 24, CLARK
COUNTY OFFICIAL RECORDS.

EXHIBIT MONUMENT-SIGN


MONUMENT-SIGN LINE & CURVE TABLES



WRIGHT ENGINEERS

EXHIBIT "D"






VICINITY MAP

EXHIBIT "
MONUMENT-SIGN VICINITY MAP




WRIGHT ENGINEERS





BY: JRP PR BY: TJK



EXPLANATION:

THIS LEGAL DESCRIPTION DESCRIBES A PARCEL OF LAND GENERALLY LOCATED SOUTH OF WASHINGTON AVENUE AND EAST OF BUFFALO DRIVE, FOR LANDSCAPE AGREEMENT PURPOSES.

LEGAL DESCRIPTION LANDSCAPE AGREEMENT

LOCATED WITHIN THE NORTHWEST QUARTER (NW 1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27, TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID NORTHWEST QUARTER (NW 1/4), SAME BEING THE CENTERLINE INTERSECTION OF WASHINGTON AVENUE AND BUFFALO DRIVE; THENCE SOUTH 89°35'24" EAST ALONG THE NORTH LINE OF SAID NORTHWEST QUARTER (NW 1/4) COINCIDENT WITH THE CENTERLINE OF SAID WASHINGTON AVENUE, 115.38 FEET; THENCE SOUTH 00°24'32" WEST DEPARTING SAID NORTH LINE AND CENTERLINE, 45.00 FEET RADIALLY TO THE BEGINNING OF A NONTANGENT CURVE CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 54.00 FEET, SAME BEING THE SOUTHERLY RIGHT OF WAY OF SAID WASHINGTON AVENUE, AND THE POINT OF BEGINNING:

THENCE SOUTHWESTERLY 84.43 FEET ALONG SAID CURVE AND ALONG SAID SOUTHERLY RIGHT-OF-WAY THROUGH A CENTRAL ANGLE OF 89°35'02" TO THE EASTERLY RIGHT-OF-WAY OF THE AFFORMENTIONED BUFFALO DRIVE; THENCE SOUTH 19°50'37" EAST ALONG SAID EASTERLY RIGHT-OF-WAY AND A PROLONGATION THEREOF, 357.50 FEET; THENCE NORTH 88°05'44" WEST, 65.72 FEET TO THE BEGINNING OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 50.00 FEET; THENCE NORTHWESTERLY 76.31 FEET ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 87°26'58"; THENCE NORTH 00°38'46" WEST, 11.63 FEET; THENCE SOUTH 89°21'14" WEST, 26.68 FEET; THENCE NORTH 00°38'46" WEST, 188.96 FEET; THENCE NORTH 89°22'49" EAST, 5.00 FEET; THENCE NORTH 00°38'46" WEST, 12.22 FEET TO THE BEGINNING OF A CURVE CONCAVE SOUTHEASTERLY HAVING A RADIUS OF 25.00 FEET; THENCE NORTHEASTERLY, 39.51 FEET ALONG SAID CURVE, THROUGH A CENTRAL ANGLE OF 90°33'19" TO THE PROLONGATION OF THE AFFORMENTIONED SOUTHERLY RIGHT-OF-WAY; THENCE NORTH 89°54'33" EAST ALONG SAID PROLONGATION, 47.29 FEET TO THE POINT OF BEGINNING.

LEGAL DESCRIPTION CONTINUED JOB NO. CN24174 DATE: April 10, 2006 PAGE 2 0F 4

CONTAINING 23,816 SQUARE FEET (0.55 ACRES) MORE OR LESS, AS DETERMINED BY COMPUTER METHODS.

BASIS OF BEARINGS

SOUTH 89°35'24" EAST, BEING THE NORTH LINE OF THE NORTHWEST QUARTER (NW 1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27, TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK COUNTY, NEVADA PER PLAT MAP BOOK 86, PAGE 24, CLARK COUNTY OFFICIAL RECORDS.

M:_mapping\2004\cn24174\descriptions\24174v-landscape-agreement.doc M:_mapping\2004\cn24174\dwg\exhibits\24174v-landscape-agreement.dwg

EXHIBIT "6"




EXHIBIT <u>"I"</u>

CURVE TABLE			
No.	RADIUS	DELTA	LENGTH
C1	54.00	89*35'02"	84.43
C2	50.00	87°26'58"	76.31
СЗ	25.00'	90'33'19"	39.51

RADIAL LINE TABLE		
Ñο.	BEARING	LENGTH
R1	N00°24'32"E	54.00
R2	N8910'30"W	54.00'

LINE TABLE		
No.	BEARING	LENGTH
L1	S89*35'24"E	115.38
L2	S00°24'32"W	45.00
L3	S19'50'37"E	357.50
L4	N88°05'44"W	65.72
L5	N00*38'46"W	111.63
L6	S89'21'14"W	26.68
L7	N00°38'46"W	188.96
L8	N89°22'49"E	5.00'
L9	N00'38'46"W	12.22
L10	N89'54'33"E	47.29

BASIS OF BEARINGS


SOUTH 89'35'24" EAST
BEING THE NORTH LINE OF THE NORTHWEST QUARTER (NW
1/4) OF THE SOUTHWEST QUARTER (SW 1/4) OF SECTION 27,
TOWNSHIP 20 SOUTH, RANGE 60 EAST, M.D.M., CLARK
COUNTY, NEVADA PER PLAT MAP BOOK 86, PAGE 24, CLARK
COUNTY OFFICIAL RECORDS.

EXHIBIT


LANDSCAPE-AGREEMEN i-01 CURVE AND LINE TABLES



WRIGHT ENGINEERS



TRAIL & LANDSCAPE TO BUFFALO DRIVE




N. T. S.

EXHIBIT

LANDSCAPE-AGREEMENT-01 CROSS SECTIONS



WRIGHT ENGINEERS



NTS

EXHIBIT " | < "

EXHIBIT ... LANDSCAPE-AGREEMENT-01 CROSS SECTIONS



WRIGHT ENGINEERS